

HITACHI




FLORA

270W

NW6

1



[illegible][illegible]

*Windows NT

● PC □ □ □ □ □ □ □ □ □ □ □ □ □ □




JEITA PC 2001
 Web <http://www.jeita.or.jp>

[illegible]




□ □ □ □ □ □	2. 4GHz
□ □ □ □	DSSS □ □
□ □ □ □ □ □	40m
□ □ □ □ □ □ □ □	□ □

128bit □ □ □ □ □ □ □ □

[illegible]



Copyright © Hitachi, Ltd. 2002. All rights reserved.



● TEL 0120-8824-40()
 9:30 22:00()
 10:00 18:00()
 1 1

☒ Windows XP/☐ Windows 2000/☐ Windows NT

[illegible][illegible]

参照


000000000000000000 → http://www.hitachi.co.jp/pc/00000000
URL 00 2002 6 1 00000000

☐ c ☐ d ☐ e ☐ f ☐ g ☐ h ☐ i ☐ j ☐ k ☐ l ☐ m ☐ n ☐ o ☐ p ☐ q ☐ r ☐ s ☐ t ☐ u ☐ v ☐ w ☐ x ☐ y ☐ z

[illegible]

	□ □
□ □ .	□ □
注意	□ □
注意	□ □
重要	□ □
ヒント	□ □
参照	□ □
用語	□ □

[illegible]

5

警告



1. 在连接设备之前，请确保设备已断电。
 2. 请勿在潮湿或易燃环境中使用设备。
 3. 请勿将设备靠近热源或阳光直射的地方。
 4. 请勿将设备浸入水中或靠近水源。
 5. 请勿在设备运行时触摸内部部件。



1. 请勿在设备运行时触摸内部部件。
 2. 请勿将设备靠近热源或阳光直射的地方。
 3. 请勿将设备浸入水中或靠近水源。



1. 请勿在设备运行时触摸内部部件。
 2. 请勿将设备靠近热源或阳光直射的地方。
 3. 请勿将设备浸入水中或靠近水源。



1. 请勿在设备运行时触摸内部部件。
 2. 请勿将设备靠近热源或阳光直射的地方。
 3. 请勿将设备浸入水中或靠近水源。

参照 [图 1-1](#) → P. 21



1. 请勿在设备运行时触摸内部部件。
 2. 请勿将设备靠近热源或阳光直射的地方。
 3. 请勿将设备浸入水中或靠近水源。



1. 请勿在设备运行时触摸内部部件。
 2. 请勿将设备靠近热源或阳光直射的地方。
 3. 请勿将设备浸入水中或靠近水源。



1. 请勿在设备运行时触摸内部部件。
 2. 请勿将设备靠近热源或阳光直射的地方。
 3. 请勿将设备浸入水中或靠近水源。



1. 请勿在设备运行时触摸内部部件。
 2. 请勿将设备靠近热源或阳光直射的地方。
 3. 请勿将设备浸入水中或靠近水源。



1. 请勿在设备运行时触摸内部部件。
 2. 请勿将设备靠近热源或阳光直射的地方。
 3. 请勿将设备浸入水中或靠近水源。












1. 请勿在设备运行时触摸内部部件。
 2. 请勿将设备靠近热源或阳光直射的地方。
 3. 请勿将设备浸入水中或靠近水源。




1. 请勿在设备运行时触摸内部部件。
 2. 请勿将设备靠近热源或阳光直射的地方。
 3. 请勿将设备浸入水中或靠近水源。


警告





参照 □□□□□ → P. 21







参照 ☐ ☐ ☐ ☐ ☐ ☐ → P. 20



警告




参照 □□□□□ → P. 23



⚠ 注意



USB 



□ □ □ □ □ □ □ □

[illegible]

参照 $\square \square \square \square \square \rightarrow P. 38$



1 2 3 4 5 6 7 8 9 10

参照 □ □ □ □ □ □ □ → P. 38



参照 □ □ □ □ □ → P. 20



□ □ □ □ □ □ □



□ □ □ □ □ □ □ □ □ □



5/5/2019



10



1 1 1 1 1 1 1 1



1111111111111111



□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □



参照 → P. 59






□ □ □ □ □ □ □ □ □ □



参照 □ □ □ □ □ → P. 23





注意



参照  → P.3












OS Windows

- □ □ □ □ □ □ □ □ □ □ Microsoft® Windows® XP Professional
● □ □ □ □ □ □ □ □ □ □ Microsoft® Windows® 2000 Professional

100

- □ □ □ □ □ □ □ □
- □ □ □ □ □ □ □
- □ □ □ □ □ □
- BIOS □ □
- □ □ □ □ □ □ □ □ □ □



[illegible][illegible]

50 Years Q&A



Windows 3








20

[illegible][illegible][illegible]


1 2 3 4

■ □ □ □ □ □ □ □ □ □ □ □






1 □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□




2 AC

3 AC □ □ □ □ AC □ □ □ □ □ □ □ □ □ □

[illegible]

ヒント

★ 


参照

警告

② AC

警告


A 10x10 grid of 100 small squares. The first two columns are highlighted in red, representing 20% of the total area.






Windows

1



2



Windows

ヒント

★


ヒント

★ Windows



参照

000000 → 0000000000
000000 000000000000
000



HDD/FDD 0 0 0 0 0 0 0 0

0 0 0 0 0 0 0 0 (0 0 0 HDD 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(0 0 0 FDD 0
0 0 0 0 0 0 0 0

0 0 0 0 0 0 0 0

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

CapsLock 0 0 0

0
0 0 0 0

NumLock 0 0 0


0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

0 0 0 0 0 0 0 0

0 0 0 0 0 LAN 0 0 0 0 0 0 0 0 0 0 0 0 0 0 LAN 0 0 0 0 0
0 0 0 [Wireless] 0 0 0 0 0 0 0 0

重要

◎ HDD/FDD 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0



☐ LAN

☐ LAN

Internet Explorer ()

Express(Outlook

LaunchManager

- ```

③ [Wireless] 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 Wireless
Button Status 0 0 0 0 0 0
0 [Wireless Button Status]
0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 Wireless Button Status
0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0

④ Windows XP 0 Windows 2000
0 0 0 [Wireless] 0 0 0 0 0
LAN 0 0 0 0 0 0 0 0
Administrator 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 LAN 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 LAN 0 0 0 0 0 0 0
0 0 BIOS Set Up 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0

1 0 0 0 0 0 0 0 0 0 0 0 0
0 H T A C H 0 0 0 0 0 0 0
0 0 0 0 [F2] 0 0 0 0 0 0

2 BIOS Utility 0 0 0 0 Onboard
Device Configuration 0 0 0
0 0 0 0 [↓] 0 0 0 0 0 0
[Enter] 0 0 0 0 0 0

3 0 Wireless LAN Device 0
[↓] 0 0 0 0 0 0 0 [→] 0 0
0 0 Wireless LAN 0 0 0 0 0
0 0 0 0 0 0 [Esc] 0 0 0 0 0

4 BIOS Utility 0 0 0 0 0 0 0
0 0 0 0 [Esc] 0 0 0 0 0 0

5 [Yes] 0 0 0 0 0 [Enter] 0 0 0
0 0 0

```

A horizontal timeline from 1980 to 2010. The years are listed in a row above a series of vertical bars. The bars are evenly spaced and represent each year from 1980 to 2010.


A line drawing of a laptop with its lid open. A red line points from the text 'Battery cover latch' to a small latch on the right side of the keyboard. Another red line points from the text 'Battery cover' to the battery cover on the bottom of the laptop. There are also red lines pointing to the battery cover latch on the left side of the keyboard and the battery cover on the right side of the laptop.

33

[illegible]

A line drawing of a laptop, viewed from a three-quarter angle. A red line points from the bottom right edge of the laptop's base to a row of ten small, rectangular icons, which represent the battery cover latch.

A diagram showing a sequence of 18 boxes labeled  $A_1$  through  $A_{18}$ . Boxes  $A_1$ ,  $A_2$ , and  $A_3$  are arranged in a vertical column on the left. Boxes  $A_4$  through  $A_{18}$  are arranged in a single horizontal row to the right of  $A_3$ . All boxes are empty.

[illegible]

③ FD FDD O O O O O O O O  
O O O O O O O O O O O O  
O O O O O Windows O O O O  
O O O O O Windows O O O O  
O O O O O FD O O O O O O  
O O



## 5 [ ]

Windows XP Windows 2000 Windows NT [ ]  
[ ]

## 6

## 7 [ ]

[ ] [ ]


## 8 [ ] 2

## I



FD

## 1 FD

[ ]







□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □


| □ □ □ □ □ □ □ □ * | □ □ □ □ 1 | □ □ □ □ 2 |
|-------------------|-----------|-----------|
| 128MB             | 128MB     | □         |
| 256MB             | 128MB     | 128MB     |
|                   | 256MB     | —         |
| 384MB             | 128MB     | 256MB     |
|                   | 256MB     | 128MB     |
| 512MB             | 256MB     | 256MB     |

[illegible]


The screenshot shows a Windows XP boot screen. At the top, there is a progress bar with a circular arrow icon on the left. Below the progress bar, the text 'Windows XP' is displayed in a large, bold, sans-serif font. Underneath 'Windows XP', the text '128MB' is displayed in a smaller font. The background is a light blue gradient.





[illegible][illegible]

**3** □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

4 

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

□ □ □ □ □ □

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

00000000000000000000 50000000000000000000

[illegible]

| □□□□ | □□□□□□□□                             | □□□□ |
|------|--------------------------------------|------|
| 4□   | □□□□□□□□□□□□□□□□□□<br>□□□□□□□□□□□□□□ | □ 1  |
| 3□   | □□□□□□□□□□□□□□□□                     | □ 6  |

[illegible]

- [illegible]











2 0000 [ 0000 ] 00000000000000000000  
 109 0000000000000000 106 000 (A01) 0000 (Ctrl 0 0 ) 0  
 000000000000000000000000 Multi media Keyboard 0  
 3 0000000000000000000000 [ 0000 ] 000 [ 00000  
 00 ] 000000000000 [ 00000000000000000000 ] 00  
 000000000000000000000000  
 4 000000000000000000000000000000000000000000  
 0000000000000000000000



## Q

000000000000000000000000

## A

0 AC 000000000000 (AC 000 ) 0000000000000000  
 0 AC 00000000000000000000000000000000  
 000000000000000000000000 0000000000000000  
 0000000000  
 000000000000000000000000000000000000000000  
 000000000000000000000000000000000000000000

## Q

0000000000000000 Non-System disk 00 00000000000000  
 00000

## A

0000000000000000000000 FD 0 FDD 000000000000  
 000  
 FD 000000 [ Enter ] 000000000000

## Q

0000000000000000

## A

000000000000000000000000  
 0 BIOS 0000000000000000000000 BIOS 00000000  
 0000000000000000  
 00000000000000000000000000000000000000000



## Q

Windows 00000000

## A

00000000000000000000000000000000000000000  
 000  
 0 Windows 000000000000000000000000000000000000000000  
 0000000000000000 HDD 00 Windows 00000000000000  
 0000

### 参照

000000000000 → 000  
 000000000000 (P. 42)

### 参照

0000 → Windows 00000000  
 000 30 00 BIOS 00000000

Windows XP Windows 2000

2 [Enter]

4

[illegible]

$\frac{7}{8} \left( \frac{\pi^2}{6} - \ln 2 \right) + \frac{9\sqrt{2}}{4}$

[illegible]

**Abstract**



Safe Windows 98

2 3. Safe mode [Enter]

4 [ ]

$$6 \left[ \begin{array}{c} \square \\ \square \\ \square \\ \square \end{array} \right] \square\square\square \left[ \begin{array}{ccccccc} \square & \square & \square & \square & \square & \square & \square \end{array} \right] \square\square\square\square\square\square\square\square\square\square\square$$
[illegible]

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐ ☐



FD FD Windows FD

48







Windows

Windows Windows 98

- ```

1 Windows [Esc]
2 [(C)] [ ] } [ ] [ ]
3 [ ] *.pw [ ] [ ] [ ] [ ]
   [ ] [ ] [ ] [ ]
4 [ ] pw [ ] [ ] [ ] [ ] [Del ete] [ ] [ ] [ ]
   [ ] [ ] [ ] [ ] [ ]

```

[illegible]

[Alt] [] [] [] [] [] [] [Enter] [] [] [] [] [] [] [] []

[illegible][illegible]

BIOS



BIOS



BIOS PC
BIOS [BIOS Utility] [Load Default Settings]



BIOS



BIOS
CMOS Checksum Error
BIOS



CD [install] [ar505]pn.exe
Acrobat Reader



[] - [] - []

参照

Windows
3 BIOS

参照

→
(P. 3)

ヒント

★

参照

→
(P. 59)




Acrobat Reader
 Windows Temp
 Temp




A 10x10 grid of squares. The grid contains the following text in the specified rows and columns (1-indexed from top-left):

- Row 1: Column 10 contains "OS".
- Row 2: Column 1 contains "Windows".
- Row 3: Column 9 contains "Windows".
- Row 4: Column 5 contains "Windows".

Windows [] [] [] [] [] [] [] → Windows
[] [] [] [] [] [] [] [] [] [] [] [] []
[] [] [] [] [] [] [] [] [] [] [] []





□□		270WN/6	
□□□□□□ □□□□□	□□□□□	1□ IEEE1284□□□ SPP□□□□ ECP□	
	□□□	1□ □□□□□□□□□ 2.2kΩ (Typ.)	
	□□□□□	1□ □□□□□□□□□ 10kΩ (Typ.)	
	□□□□□	1□ □□□□□□□□□ 8□ 32kΩ (Typ.)	
	USB	2□ □□□□ □□□□□□□□□ 750nA□□ □□□□□□□□□□ 500nA□□	
	□□□□□□□□ 1)	□□□ 1□□ DATA□□ 56Kbps□ V.90□	
	LAN	1□ IEEE802.3□□□□□ 100BASE-TX/10BASE-T□ □□□□□□□□□□□□	
	□□□□□□□□□□□□	1□ □□ 6□□□□□□□□□ 300nA□□□	
	□□□□□□□	1□ VESA/DDCI/2B□□	
	□□□□□	1□ PC-97□□□□□□	
□□ LAN□□□□ 1□		□□□ IEEE-802.11b(Ch1□ Ch11)	
PC□□□□□□□□		Type I □□ × 2□□□□ Type III × 1 J E TA Ver. 4.2/PCMCIA 2.1□□	
□□	□□□	50/60Hz	
	□□□□	AC100V ± 10%	
□□□□ (□□□□ 5)	□□	Pentium III 1.0GHz□□ 17W	Celeron 1.06GHz□□ 22W
	□□	Pentium III 1.0GHz□ 71W	Celeron 1.06GHz□ 71W
	□□□□□□	Pentium III 1.0GHz□□ 1.8W	Celeron 1.06GHz□□ 1.8W
	□□□□□□ OFF□	Pentium III 1.0GHz□□ 1.8W	Celeron 1.06GHz□□ 1.8W
□□□□□ □□□□□	□□	S	
	□□□□□□□□□□ (□□□□ 6)	Pentium III 1.0GHz□ 0.00077	Celeron 1.06GHz□ 0.00072
□□□□ (□□□□ 7)		326nm(W) × 276nm(D) × 38nm(H)	
□□□□□□□ 8□		□ 2.8kg	
□□□□	□□□ (□□□ 2)	10□ 35℃	
	□□□□	- 10□ 43℃	
	□□□□□□□□□	- 10□ 60℃	
□□□□	□□□ (□□□ 2)	20□ 80□ Rh(□□□□□□□□)	
	□□□□	20□ 80□ Rh(□□□□□□□□)	
	□□□□□□□□□	20□ 80□ Rh(□□□□□□□□)	
	□□□□□□	25℃	

[illegible]

```

★ KB  kB  K(  ):1024  k(  ):1000
★
★
★ PC

```

```

⊙ 00000000000000000000000000000000 Windows 0000000000000000
⊙ 00000000000000000000000000000000 Windows 0000000000000000
  0000000000
⊙ 000000 LAN 0 40/64bit 0000000000 128bit 0000000000000000
⊙ 000000 LAN 000000000000000000000000000000000000000000000
  00000000000000000000000000000000
⊙ 000000 LAN Peer-to-Peer 00000000000000000000000000000000
  0000000000 LAN 0000 PC-NB200 PC-NB400 000000 PC 0000 LAN 0
  Peer-to-Peer 0000000000
⊙ 00000000000000000000000000000000



```

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ → 3
 □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
 □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
 (P. 38)

□ □	□ □
□ □ □ □ □ □ □ □ □ □	*1
□ □ □ □ □ □ □ □ □ □ □ □	*2
CD-ROM □ □ □	*3
DVD-ROM □ □ □ □	
CD-R/RW □ □ □ □	
DVD-ROM & CD-R/RW □ □ □ □ □ □ □	
□ □ □ □ □ □	*1 □ 4
□ □ □ □ □	*1
□ □ □	*2
□ □ □	*1
AC □ □ □ □ □	*1
□ □ □ □ □ □ □ □	*5
□ □ □ □ □ □ □	*6

⚠ 注意

[illegible]





F
FLORA 3

H
HTAC 3

L
LAN 22

O
OS 3

□
□ □ □ □ □ 60

□
□ □ □ □ □ □ 42

□
□ □ □ □ 20

□
□ □ □ □ □ 3
□ □ □ □ □ 34

□
□ □ 20

□
□ □ □ □ □ 25
□ □ □ □ □ □ 14

□
□ □ □ □ 28

□
□ □ □ □ □ 35

□
□ □ □ □ □ 14

□
□ □ □ □ □ □ 38

□
□ □ □ 23

□
□ □ □ □ □ 59

□
□ □ □ 30



